Dart Aerospace Ltd. Wednesday, 9/26/2007 2:06:49 PM Date Kim Johnston User: **Process Sheet** : WEARSHOE **Drawing Name** : CU-DAR001 Dart Helicopters Services Customer Job Number : 34884 1 : 10617 Estimate Number : D265633 Part Number AIH: P.O. Number D2656 REV D s.o. No. : N)A **Drawing Number** : 9/26/2007 This Issue ; N/A Project Number Prsht Rev. : NC : NIA : SMALL /MED FAB **Drawing Revision** First Issue Type :NIA : 32281 Material Previous Run Each Qty: 10 Um: Due Date : 10/3/2007 Written By Checked & Approved By Re-format KJ 02.10.25 : Est: Comment Est Rev:E 06-08-21 Now On Water JET JLM **Additional Product** Job Number: Description: Machine Or Operation: Seq. #: 1010/1025/A21/6aA SHEET 1.0 M1010S20GA Comment: Qty.: 0.4074 sf(s)/Unit Total: 4.0740 sf(s) 1010/1025/A21/6aA SHEET 20 GUAGE m 104453 Batch: WATER JET 2.0 Comment: FLOW WATER JET 1-Cut as per Dwg D2656 1B07-10-1 Dwg Rev: **D** Prog Rev:____ 2-Deburr if necessary INSPECT PARTS AS THEY COME OFF MACHINE 3.0 QC2 B 07-10-1 Comment: INSPECT PARTS AS THEY COME OFF MACHINE SECOND CHECK QC8 4.0 Comment: SECOND CHECK BRAKE NC NC BRAKE 5.0

Comment: NC BRAKE

1-Form on Brake as per Dwg D2656 using Jigs DT8261and DT8326.

2-Identify as D2656-33.

SB 07/10/03

Form: rorocess

Dart A	Aeros	pace	Ltd
--------	-------	------	-----

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
·							
Part No	:	PAR #: Fault Category:	NCR: Yes	No) DQ	A: []	ົ Date: <i>⊙</i> _ Date:	110104
			QA:	N/C Closed	d:	_ Date:	

NCR:		WORK ORDER NON-CONFO			RMANCE (NCR)				
		Description of NC		Corrective Action	Section B		Marifi and a		
DATE	ATE STEP Section A		Initial Chief Eng	Action Descript Chief Eng	ion	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector
								,	
				,					
							,		
				·					

NOTE: Date & initial all entries

Wednesday, 9/26/2007 2:06:49 PM Date: Kim Johnston User: **Process Sheet** Drawing Name: WEARSHOE Customer: CU-DAR001 Dart Helicopters Services Job Number: 34884 Part Number: D265633 Job Number: Description: Seq. #: **Machine Or Operation:** INSPECT WORK TO CURRENT STEP 6.0 QC5 WORK TO CURRENT STEP POWDER COATING 7.0 M104846 Comment: POWDER COATING Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3 8.0 QC3 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION 9.0 Comment: PACKAGING RESOURCE #1 Identify and Stock ; Location: 10.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE U St. 1004 Job Completion

Dart Aerospace Ltd

			į.					
W /O:		WORK ORD	ER CHANGES					
DATE	STEP	PROCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	•	PAR #: Fault Category:	N	CR: Yes	No DQ	A:	_ Date: _	
				QA:	N/C Close	d:	_ Date: _	
		WORK OPPED NON	CONFORMANIO	E (110	<u> </u>			

NCR:		V	WORK ORD	ER NON-CONFO	RMANC	E (NCR)			
		Description of NC	Corrective Action		Section B		Verification	A1	A
DATE	DATE STEP Section		Initial Chief Eng	Action Descript Chief Eng	ion	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
								•	
								- .	
					1				

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	34884
Description: Wearshoe	Part Number:	D2656-33
Inspection Dwg: D2656 Rev: D		Page 1 of 1


FIRST ARTICLE INSPECTION CHECKLIST

Х	First Article		Prototype
---	---------------	--	-----------

Drawing	Tolerance	Actual	Accept	Reject	Method of	Comments
Dimension	Tolerance	Dimension	Дообр	. Kojo ot	Inspection	
24.500	+/-0.010	34.500	*			
21.000	+/-0.010	अ.०ळा	*			
15.250	+/-0.010	15.750	×			
9.500	+/-0.010	8,500	×			
6.000	+/-0.010	6.000	de			
2.000	+/-0.010	Э.∞∞	×			
1.885	+/-0.010	1.889	X			
0.300	+/-0.010	,308	74			
0.300	+/-0.010	,306	à			
				•		

Measured by: 43	Audite	d by:	Prototype Approval:	N/A
Date: 67 - 10) (Date: (A/(d/	Date:	N/A


Rev	Date	Change	Revised by	Approved
Α	07.05.31	New Issue	KJ/JLM	
L	J			/ /




Copyright © 1997 by DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.






D2656-21



D2656-23




MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70WINCONTROLLED COPY
SERIES STEEL, 20 GAUGE (0.040 THICK)
FINISH: POWDER COAT GREY SANOTEX (4.3.5.6) PER QSI 005 4.3
SUBJECT TO AMENDMENT
TOLERANCES ARE PER DART OSI 019

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

WITHOUT NOTICE

Copyright © 1997 by DART AEROSPACE USA, INC.


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.







DESIGN DS	DRAWN BY	DART	AEROSPACE USA, INC.
CHECKED	APPROVED	DRAWING NO.	REV. D SHEET 4 OF 4
DATE	70	TITLE	SCALE
05.08.17		WEARSHOE	1:10

SECTION C-C






DETAIL A



DETAIL B



SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

Copyright © 1997 by DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.